




PLUMMER BLOCK HOUSINGS




TECHNICAL INFORMATION


Structure of whole set Plummer blocks



SEALING AVAILABLE:





Plummer block housings



HOUSING No.	SHAFT DIAMETER	PLUMMER BLOCK HOUSING	Dimensions (mm)										
	d (mm)		D (H8)	B	b	G	F (H13)	A (h13)	L	H	E	d ₂ (H12)	d ₃ (H13)
SNU 505	20	SNU 505	52	165	46	19	25	40	67	73	130	31.5	39.5
SNU 605	20	SNU 506-605	62	185	52	22	32	50	77	88	150	36.5	44.5
SNU 506	25	SNU 506-605	62	185	52	22	32	50	77	88	150	36.5	44.5
SNU 606	25	SNU 507-606	72	185	52	22	34	50	82	93	150	46.5	54.5
SNU 507	30	SNU 507-606	72	185	52	22	34	50	82	93	150	46.5	54.5
SNU 607	30	SNU 508-607	80	205	60	25	39	60	85	107	170	51.5	59.5
SNU 508	35	SNU 508-607	80	205	60	25	39	60	85	107	170	51.5	59.5
SNU 608	35	SNU 510-608	90	205	60	25	41	60	90	112	170	62.0	70.5
SNU 509	40	SNU 509	85	205	60	25	30	60	85	109	170	56.5	64.5
SNU 609	40	SNU 511-609	100	255	70	28	44	70	95	127	210	67.0	75.5
SNU 510	45	SNU 510-608	90	205	60	25	41	60	90	112	170	62.0	70.5
SNU 610	45	SNU 512-610	110	255	70	30	48	70	105	133	210	72.0	80.5
SNU 511	50	SNU 511-609	100	255	70	28	44	70	95	127	210	67.0	75.5
SNU 611	50	SNU 513-611	120	275	80	30	51	80	110	148	230	77.0	85.5
SNU 512	55	SNU 512-610	110	255	70	30	48	70	105	133	210	72.0	80.5
SNU 612	55	SNU 515-612	130	280	80	30	56	80	115	154	230	87.0	95.5
SNU 513	60	SNU 513-611	120	275	80	30	51	80	110	148	230	77.0	85.5
SNU 613	60	SNU 516-613	140	315	90	32	58	95	120	175	260	92.5	101.0
SNU 515	65	SNU 515-612	130	280	80	30	56	80	115	154	230	87.0	95.5
SNU 615	65	SNU 518-615	160	345	100	35	65	100	140	191	290	102.5	111.0

Remark: All SN housings available with Felt-seals (FS).


Plummer block housings



PLUMMER BLOCK HOUSING DIMENSIONS (mm)						APPROPRIATE APARTMENT						
f	u	v	s	t	WEIGHT Kg	BEARING NUMBER	ADAPTER SLEEVE	LOCATING RING		SEAL NUMBER	END COVER	
								NUMBER	QTY			
5	15	20	M 12	M 8	1.4	1205 K 2205 K	H 205 H 305	SR 52X5 SR 52X7	2 1	U 505	505 UA	
5	15	20	M 12	M 8	1.9	1305 K 2305 K	H 305 H 2305	SR 62X7.5 SR 62X8	2 1	U 605	506 UA	
5	15	20	M 12	M 8	1.9	1206 K 2206 K	H 206 H 306	SR 62X8 SR 62X6	2 2	U 506	506 UA	
5	15	20	M 12	M 10	2.0	1306 K 2306 K	H 306 H 2306	SR 72X7.5 SR 72X7	2 1	U 606	507 UA	
5	15	20	M 12	M 10	2.0	1207 K 2207 K	H 207 H 307	SR 72X8.5 SR 72X5.5	2 2	U 507	507 UA	
5	15	20	M 12	M 10	2.7	1307 K 2307 K	H 307 H 2307	SR 80X9 SR 80X8	2 1	U 607	508 UA	
5	15	20	M 12	M 10	2.7	1208 K 2208 K	H 208 H 308	SR 80X10.5 SR 80X8	2 2	U 508	508 UA	
5	15	20	M 12	M 10	2.9	1308 K 2308 K	H 308 H 2308	SR 90X9 SR 90X8	2 1	U 608	511 NA-510 UA	
5	15	20	M 12	M 10	2.8	1209 K 2209 K	H 209 H 309	SR 85X5.5 SR 85X7	2 1	U 509	509 UA	
5	18	24	M 16	M 12	4.5	1309 K 2309 K	H 309 H 2309	SR 100X9.5 SR 100X8	2 1	U 609	512 NA-511 UA	
5	15	20	M 12	M 10	2.9	1210 K 2210 K	H 210 H 310	SR 90X10.5 SR 90X9	2 2	U 510	511 NA-510 UA	
5	18	24	M 16	M 12	5.0	1310 K 2310 K	H 310 H 2310	SR 110X10.5 SR 110X8	2 1	U 610	513 NA-512 UA	
5	18	24	M 16	M 12	4.5	1211 K 2211 K	H 211 H 311	SR 100X11.5 SR 100X9.5	2 2	U 511	512 NA-511 UA	
5	18	24	M 16	M 12	6.3	1311 K 2311 K	H 311 H 2311	SR 120X11 SR 120X8	2 1	U 611	515 NA-513 UA	
5	18	24	M 16	M 12	5.0	1212 K 2212 K	H 212 H 312	SR 110X13 SR 110X10	2 2	U 512	513 NA-512 UA	
5	18	24	M 16	M 12	6.6	1312 K 2312 K	H 312 H 2312	SR 130X12.5 SR 130X10	2 1	U 612	517 NA-515 UA	
5	18	24	M 16	M 12	6.3	1213 K 2213 K	H 213 H 313	SR 120X14 SR 120X10	2 2	U 513	515 NA-513 UA	
5	22	28	M 20	M 16	9.4	1313 K 2313 K	H 313 H 2313	SR 140X12.5 SR 140X10	2 1	U 613	518 NA-516 UA	
5	18	24	M 16	M 12	6.6	1215 K 2215 K	H 215 H 315	SR 130X15.5 SR 130X12.5	2 2	U 515	517 NA-515 UA	
5	22	28	M 20	M 16	12.3	1315 K 2315 K	H 315 H 2315	SR 160X14 SR 160X10	2 1	U 615	520 NA-518 UA	

Remark: All SN housings available with Felt-seals (FS).



Plummer block housings



HOUSING No.	SHAFT DIAMETER	PLUMMER BLOCK HOUSING	PLUMMER BLOCK HOUSING DIMENSIONS (mm)										
	d (mm)		D (H8)	B	b	G	F (H13)	A (h13)	L	H	E	d (H12)	d3 (H13)
SNU 516	70	SNU 516-613	140	315	90	32	58	95	120	175	260	92.5	101.0
SNU 616	70	SNU 519-616	170	345	100	35	68	112	145	208	290	131.0	141.0
SNU 517	75	SNU 517	150	320	90	32	61	95	125	181	260	97.5	106.0
SNU 617	75	SNU 520-617	180	380	110	40	70	112	160	214	320	137.5	147.5
SNU 518	80	SNU 518-615	160	345	10	35	65	100	140	191	29	102.5	111.0
SNU 519	85	SNU 519-616	170	345	100	35	68	112	145	208	290	131.0	141.0
SNU 619	85	SNU 522-619	200	410	120	45	80	125	175	237	350	147.5	157.5
SNU 520	90	SNU 520-617	180	380	110	40	70	112	160	214	320	137.5	147.5
SNU 620	90	SNU 524-620	215	410	120	45	86	140	185	271	350	157.5	167.5
SNU 522	100	SNU 522-619	200	410	120	45	80	125	175	237	350	147.5	157.5
SNU 524	110	SNU 524-620	215	410	120	45	86	140	185	271	350	157.5	167.5
SNU 526	115	SNU 526	230	445	130	50	90	150	190	290	380	167.5	177.5
SNU 528	125	SNU 528	250	500	150	50	98	150	205	302	420	177.5	187.5
SNU 530	135	SNU 530	270	530	160	60	106	160	220	323	450	192.5	202.5
SNU 532	140	SNU 532	290	550	160	60	114	170	235	344	470	202.5	212.5

Remark: All SN housings available with Felt-seals (FS).


Plummer block housings



PLUMMER BLOCK HOUSING DIMENSIONS (mm)						APPROPRIATE APARTMENT						
f	u	v	s	t	WEIGHT Kg	BEARING NUMBER		ADAPTER SLEEVE	LOCATING RING		SEAL NUMBER	END COVER
									NUMBER	QTY		
5	22	28	M 20	M 16	9.4	1216 K 2216 K	22216 K	H 216 H 316	SR 140X16 SR 140X12.5	2 2	U 516	518 NA-516 UA
6	22	28	M 20	M 16	13.5	1316 K 2316 K	21316 K 22316 K	H 316 H 2316	SR 170X14.5 SR 170X10	2 1	U 616	526 NA-519 UA
5	22	28	M 20	M 16	9.8	1217 K 2217 K	22217 K	H 217 H 317	SR 150X16.5 SR 150X12.5	2 2	U 517	519 NA-517 UA
6	26	32	M 24	M 20	16.6	1317 K 2317 K	21317 K 22317 K	H 317 H 2317	SR 180X14.5 SR 180X10	2 1	U 617	520 UA
5	22	28	M20	M16	12.3	1218 K 2218 K	22218 K 23218 K	H 218 H 318 H 2318	SR 160X17.5 SR 160X12.5 SR 160X12.5	2 2 1	U 518	520 NA-518 UA
6	22	28	M 20	M 16	13.5	1219 K 2219 K	22219 K	H 219 H 319	SR 170X18 SR 170X12.5	2 2	U 519	526 NA-519 UA
6	26	32	M 24	M 20	20.4	1319 K 2319 K	21319 K 22319 K	H 319 H 2319	SR 200X17.5 SR 200X13	2 1	U 619	528 NA-522 UA
6	26	32	M24	M20	16.6	1220 K 2220 K	22220 K 23220 K	H 220 H 320 H 2320	SR 180X18 SR 180X12 SR 180X9.7	2 2 1	U 520	520 UA
6	26	32	M 24	M 20	25.0	1320 K 2320 K	21320 K 22320 K	H 320 H 2320	SR 215X19.5 SR 215X13	2 1	U 620	530 NA-524 UA
6	26	32	M24	M20	20.4	1222 K 2222 K	22222 K 23222 K	H 222 H 322 H 2322	SR 200X21 SR 200X13.5 SR 200X10.2	2 2 1	U 522	528 NA-522 UA
6	26	32	M 24	M 20	25.0		22224 K 23224 K	H 3124 H 2324	SR 215X14 SR 215X10	2 1	U 524	530 NA-524 UA
6	28	35	M 24	M 24	29.8		22226 K 23226 K	H 3126 H 2326	SR 230X13 SR 230X10	2 1	U 526	532 NA-526 UA
6	35	42	M 30	M 24	37.5		22228 K 23228 K	H 3128 H 2328	SR 250X15 SR 250X10	2 1	U 528	528 UA
6	35	42	M 30	M 24	46.0		22230 K 23230 K	H 3130 H 2330	SR 270X16.5 SR 270X10	2 1	U 530	530 UA
6	35	42	M 30	M 24	51.0		22232 K 23232 K	H 3132 H 2332	SR 290X17 SR 290X10	2 1	U 532	532 UA

Remark: All SN housings available with Felt-seals (FS).


Plummer block housings



HOUSING No.	SHAFT DIAMETER	PLUMMER BLOCK HOUSING	PLUMMER BLOCK HOUSING DIMENSIONS (mm)										
	d (mm)		D (H8)	B	b	G	F (H13)	A (h13)	L	H	E	d 1 (H12)	d2 (H13)
SN 506	25	SN 506	62	185	52	22	30.0	50	77	90	150	26.5	38
SN 507	30	SN 507	72	185	52	22	33.0	50	82	95	150	31.5	43
SN 508	35	SN 508	80	205	60	25	33.0	60	85	112	170	36.5	48
SN 509	40	SN 509	85	205	60	25	31.0	60	85	112	170	41.5	53
SN 510	45	SN 510	90	205	60	25	33.0	60	90	115	170	46.5	58
SN 511	50	SN 511	100	255	70	28	33.0	70	95	130	210	51.5	67
SN 512	55	SN 512	110	255	70	30	38.0	70	105	135	210	56.5	72
SN 513	60	SN 513	120	275	80	30	43.0	80	110	150	230	62.0	77
SN 515	65	SN 515	130	280	80	30	41.0	80	115	155	230	67.0	82
SN 516	70	SN 516	140	315	90	32	43.0	95	120	175	260	72.0	89
SN 517	75	SN 517	150	320	90	32	46.0	95	125	185	260	77.0	94
SN 518	80	SN 518	160	345	100	35	62.4	100	145	195	290	82.0	99
SN 519	85	SN 519	170	345	100	35	53.0	112	140	210	290	87.0	104
SN 520	90	SN 520	180	380	110	40	70.3	112	160	215	320	92.0	111
SN 522	100	SN 522	200	410	120	45	80.0	125	175	239	350	102.0	125
SN 524	110	SN 524	215	410	120	45	86.0	140	185	270	350	113.0	135
SN 526	115	SN 526	230	445	130	50	90.0	150	190	290	380	118.0	140
SN 528	125	SN 528	250	500	150	50	98.0	150	205	305	420	128.0	154
SN 530	135	SN 530	270	530	160	60	106.0	160	220	325	450	138.0	164
SN 532	140	SN 532	290	550	160	60	114.0	170	235	340	470	143.0	173

Remark: All SN housings available with Felt-seals (FS).


Plummer block housings



PLUMMER BLOCK HOUSING DIMENSIONS (mm)							APPROPRIATE APARTMENT						
f1	f2	u	v	s	t	WEIGHT Kg	BEARING NUMBER		ADAPTER SLEEVE	LOCATING RING		FELT SEAL	END COVER
									NUMBER	QTY			
4	5.4	15	20	M 12	M 8	2.3	1206 K 2206 K	22206 K	H 206 H 306	SR 62X7 SR 62X10	2 1	FS 6X6X105	506 NA
4	5.4	15	20	M 12	M 10	2.5	1207 K 2207 K	22207 K	H 207 H 307	SR 72X8 SR 72X10	2 1	FS 6X6X120	507 NA
4	5.4	15	20	M 12	M 10	3.4	1208 K 2208 K	22208 K	H 208 H 308	SR 80X7.5 SR 80X10	2 1	FS 6X6X135	508 NA
4	5.4	15	20	M 12	M 10	3.4	1209 K 2209 K	22209 K	H 209 H 309	SR 85X6 SR 85X8	2 1	FS 6X6X150	509 NA
4	5.4	15	20	M 12	M 10	3.6	1210 K 2210 K	22210 K	H 210 H 310	SR 90X6.5 SR 90X10	2 1	FS 6X6X165	510 NA
5	6.9	18	23	M 16	M 12	4.8	1211 K 2211 K	22211 K	H 211 H 311	SR 100X6 SR 100X8	2 1	FS 6X9X190	511 NA-510 UA
5	6.9	18	23	M 16	M 12	5.4	1212 K 2212 K	22212 K	H 212 H 312	SR 110X8 SR 110X10	2 1	FS 6X9X205	512 NA-511 UA
5	6.8	18	23	M 16	M 12	6.3	1213 K 2213 K	22213 K	H 213 H 313	SR 120X10 SR 120X12	2 1	FS 6X9X220	513 NA-512 UA
5	6.8	18	23	M 16	M 12	7.4	1215 K 2215 K	22215 K	H 215 H 315	SR 130X8 SR 130X10	2 1	FS 6X9X235	515 NA-513 UA
6	8.1	22	27	M 20	M 16	9.6	1216 K 2216 K	22216 K	H 216 H 316	SR 140X8.5 SR 140X10	2 1	FS 8X10X255	516 NA
6	8.1	22	27	M 20	M 16	9.8	1217 K 2217 K	22217 K	H 217 H 317	SR 150X9 SR 150X10	2 1	FS 8X10X270	517 NA-515 UA
6	8.1	22	27	M 20	M 16	14.2	1218 K 2218 K	22218 K 23218 K	H 218 H 318 H 2318	SR 160X16.2 SR 160X11.2 SR 160X10	2 2 1	FS 8X10X285	518 NA-516 UA
6	8.1	22	27	M 20	M 16	15.2	1219 K 22219 K	22219 K	H 219 H 319	SR 170X10.5 SR 170X10	2 1	FS 8X10X300	519 NA-517 UA
7	9.3	26	32	M 24	M 20	19.0	2220 K 22220 K	23220 K	H 320 H 2320	SR 180X12.1 SR 180X10	2 1	FS 9X10X320	520 NA-518 UA
8	10.8	26	32	M 24	M 20	23.1	2222 K 22222 K	23222 K	H 322 H 2322	SR 200X13.5 SR 200X10	2 1	FS 10X13X360	522 NA
8	10.7	26	32	M 24	M 20	26.0	22224 K 23224 K	23224 K	H 3124 H 2324	SR 215X14 SR 215X10	2 1	FS 10X13X390	524 NA
8	10.7	28	36	M 24	M 24	32.7	22226 K 23226 K	23226 K	H 3126 H 2326	SR 230X13 SR 230X10	2 1	FS 10X13X410	526 NA-519 UA
9	12.2	33	42	M 30	M 24	43.5	22228 K 23228 K	23228 K	H 3128 H 2328	SR 250X15 SR 250X10	2 1	FS 12X14X445	528 NA-522 UA
9	12.2	33	42	M 30	M 24	48.7	22230 K 23230 K	23230 K	H 3130 H 2330	SR 270X16.5 SR 270X10	2 1	FS 12X14X475	530 NA-524 UA
10	13.7	33	42	M 30	M 24	60.7	22232 K 23232 K	23232 K	H 3132 H 2332	SR 290X17 SR 290X10	2 1	FS 12X17X500	532 NA-526 UA

Remark: All SN housings available with Felt-seals (FS).


Plummer block housings



HOUSING No.	SHAFT DIAMETER	PLUMMER BLOCK HOUSING	PLUMMER BLOCK HOUSING DIMENSIONS (mm)										
	d (mm)		D (H8)	B	b	G	F (H13)	A (h13)	L	H	E	d1 (H12)	d2 (H13)
SN 606	25	SN 606	72	185	52	22	37	50	82	95	150	26.5	38
SN 607	30	SN 607	80	205	60	25	41	60	90	110	170	31.5	43
SN 608	35	SN 608	90	205	60	25	43	60	95	115	170	36.5	48
SN 609	40	SN 609	100	255	70	28	46	70	105	130	210	41.5	53
SN 610	45	SN 610	110	255	70	30	50	70	115	135	210	46.5	58
SN 611	50	SN 611	120	275	80	30	53	80	120	150	230	51.5	67
SN 612	55	SN 612	130	280	80	30	56	80	125	155	230	56.5	72
SN 613	60	SN 613	140	315	90	32	58	95	130	175	260	62.0	77
SN 615	65	SN 615	160	345	100	35	65	100	140	195	290	67.0	82
SN 616	70	SN 616	170	345	100	35	68	112	145	215	290	72.0	89
SN 617	75	SN 617	180	380	110	40	70	112	155	218	320	77.0	94
SN 618	80	SN 618	190	400	110	33	74	112	160	230	320	82.0	99
SN 619	85	SN 619	200	420	120	36	77	125	170	245	350	87.0	104
SN 620	90	SN 620	215	420	120	38	83	140	175	280	350	92.0	111

Remark: All SN housings available with Felt-seals (FS).


Plummer block housings



PLUMMER BLOCK HOUSING DIMENSIONS (mm)							APPROPRIATE APARTMENT						
f1	f2	u	v	s	t	WEIGHT Kg	BEARING NUMBER	ADAPTER	LOCATING RING		FELT SEAL	END COVER	
						SLEEVE		NUMBER	QTY				
4	5.4	15	20	M 12	M 10	2.2	1306 K 2306 K	H 306 H 2306	SR 72X9 SR 72X10	2 1	FS 6X6X105	506 NA	
4	5.4	15	20	M 12	M 10	3.4	1307 K 2307 K	H 307 H 2307	SR 80X10 SR 80X10	2 1	FS 6X6X120	507 NA	
4	5.4	15	20	M 12	M 12	3.4	1308 K 2308 K	21308 K 22308 K	H 308 H 2308	SR 90X10 SR 90X10	2 1	FS 6X6X135	508 NA
4	5.4	18	23	M 16	M 12	5.0	1309 K 2309 K	21309 K 22309 K	H 309 H 2309	SR 100X10.5 SR 100X10	2 1	FS 6X6X150	509 NA
4	5.4	18	23	M 16	M 12	5.4	1310 K 2310 K	21310 K 22310 K	H 310 H 2310	SR 110X11.5 SR 110X10	2 1	FS 6X6X165	510 NA
5	6.9	18	23	M 16	M 12	6.8	1311 K 2311 K	21311 K 22311 K	H 311 H 2311	SR 120X12 SR 120X10	2 1	FS 6X9X190	511 NA-510 UA
5	6.9	18	23	M 16	M 12	7.1	1312 K 2312 K	21312 K 22312 K	H 312 H 2312	SR 130X12.5 SR 130X10	2 1	FS 6X9X205	512 NA-511 UA
5	6.8	22	27	M 20	M 16	10.0	1313 K 2313 K	21313 K 22313 K	H 313 H 2313	SR 140X12.5 SR 140X10	2 1	FS 6X9X220	513 NA-512 UA
5	6.8	22	27	M 20	M 16	13.8	1315 K 2315 K	21315 K 22315 K	H 315 H 2315	SR 160X14 SR 160X10	2 1	FS 6X9X235	515 NA-513 UA
6	8.1	22	27	M 20	M 16	16.9	1316 K 2316 K	21316 K 22316 K	H 316 H 2316	SR 170X14.5 SR 170X10	2 1	FS 8X10X255	516 NA
6	8.1	26	32	M 24	M 20	18.9	1317 K 2317 K	21317 K 22317 K	H 317 H 2317	SR 180X14.5 SR 180X10	2 1	FS 8X10X270	517 NA-515 UA
6	8.1	26	35	M 24	M 20	19.8	1318 K 2318 K	21318 K 22318 K	H 318 H 2318	SR 190X15.5 SR 190X10	2 1	FS 8X10X285	518 NA-516 UA
6	8.1	26	35	M 24	M 20	24.7	1319 K 2319 K	21319 K 22319 K	H 319 H 2319	SR 200X16 SR 200X10	2 1	FS 8X10X300	519 NA-517 UA
7	9.3	26	35	M 24	M 20	27.0	1320 K 2320 K	21320 K 22320 K	H 320 H 2320	SR 215X18 SR 215X10	2 1	FS 9X10X320	520 NA-518 UA

Remark: All SN housings available with Felt-seals (FS).


Plummer block housings



HOUSING No.	SHAFT DIAMETER	PLUMMER BLOCK HOUSING	PLUMMER BLOCK HOUSING DIMENSIONS (mm)										
	d (mm)		D (H8)	B	b	G	F (H13)	A (h13)	L	H	E	d ₁ (H12)	d ₂ (H13)
SN 206	30	SN 206	62	185	52	22	30.0	50	77	90	150	36.5	48
SN 207	35	SN 207	72	185	52	22	33.0	50	82	95	150	46.5	58
SN 208	40	SN 208	80	205	60	25	33.0	60	85	112	170	51.5	67
SN 209	45	SN 209	85	205	60	25	31.0	60	85	112	170	56.5	72
SN 210	50	SN 210	90	205	60	25	33.0	60	90	115	170	62.0	77
SN 211	55	SN 211	100	255	70	28	33.0	70	95	130	210	67.0	82
SN 212	60	SN 212	110	255	70	30	38.0	70	105	135	210	72.0	89
SN 213	65	SN 213	120	275	80	30	43.0	80	110	150	230	77.0	94
SN 215	75	SN 215	130	280	80	30	41.0	80	115	155	230	87.0	104
SN 216	80	SN 216	140	315	90	32	43.0	95	120	175	260	92.0	111
SN 217	85	SN 217	150	320	90	32	46.0	95	125	185	260	97.0	120
SN 218	90	SN 218	160	345	100	35	62.4	100	145	195	290	102.0	125
SN 220	100	SN 220	180	380	110	40	70.3	112	160	215	320	118.0	140
SN 222	110	SN 222	200	410	120	45	80.0	125	175	239	350	128.0	154
SN 224	120	SN 224	215	410	120	45	86.0	140	185	270	350	138.0	164
SN 226	130	SN 226	230	445	130	50	90.0	150	190	290	380	148.0	178
SN 228	140	SN 228	250	500	150	50	98.0	150	205	305	420	158.0	188
SN 230	150	SN 230	270	530	160	60	106.0	160	220	325	450	168.0	198
SN 232	160	SN 232	290	550	160	60	114.0	170	235	340	470	178.0	208

Remark: All SN housings available with Felt-seals (FS).

Plummer block housings



PLUMMER BLOCK HOUSING DIMENSIONS (mm)							APPROPRIATE APARTMENT					
f ₁	f ₂	u	v	s	t	WEIGHT Kg	BEARING NUMBER		LOCATING RING		FELT SEAL	END COVER
									NUMBER	QTY		
4	5.4	15	20	M 12	M 8	2.3	1206 2206	22206	SR 62X7 SR 62X10	2 1	FS 6X6X135	508 NA
4	5.4	15	20	M 12	M 10	2.3	1207 2207	22207	SR 72X8 SR 72X10	2 1	FS 6X6X165	510 NA
5	6.9	15	20	M 12	M 10	3.2	1208 2208	22208	SR 80X7.5 SR 80X10	2 1	FS 6X9X190	511 NA-510 UA
5	6.9	15	20	M 12	M 10	3.2	1209 2209	22209	SR 85X6 SR 85X8	2 1	FS 6X9X205	512 NA-511 UA
5	6.8	15	20	M 12	M 10	3.3	1210 2210	22210	SR 90X6.5 SR 90X10	2 1	FS 6X9X220	513 NA-512 UA
5	6.8	18	23	M 16	M 12	4.4	1211 2211	22211	SR 100X6 SR 100X8	2 1	FS 6X9X235	515 NA-513 UA
6	8.1	18	23	M 16	M 12	5.0	1212 2212	22212	SR 110X8 SR 110X10	2 1	FS 8X10X255	516 NA
6	8.1	18	23	M 16	M 12	5.9	1213 2213	22213	SR 120X10 SR 120X12	2 1	FS 8X10X270	517 NA-515 UA
6	8.1	18	23	M 16	M 12	7.0	1215 2215	22215	SR 130X8 SR 130X10	2 1	FS 8X10X300	519 NA-517 UA
7	9.3	22	27	M 20	M 16	8.9	1216 2216	22216	SR 140X8.5 SR 140X10	2 1	FS 9X10X320	520 NA-518 UA
8	10.8	22	27	M 20	M 16	9.1	1217 2217	22217	SR 150X9 SR 150X10	2 1	FS 10X13X340	217 NA
8	10.8	22	27	M 20	M 16	13.1	1218 2218	22218	SR 160X16.2 SR 160X11.2 SR 160X10	2 2 1	FS 10X13X360	522 NA
8	10.7	26	32	M 24	M 20	17.5	2220	22220 22320	SR 180X12.1 SR 180X10	2 1	FS 10X13X410	526 NA-519 UA
9	12.2	26	32	M 24	M 20	21.6	2222	22222 23222	SR 200X13.5 SR 200X10	2 1	FS 12X14X445	528 NA-522 UA
9	12.2	26	32	M 24	M 20	24.2		22224 23224	SR 215X14 SR 215X10	2 1	FS 12X14X475	530 NA-524 UA
10	13.7	28	36	M 24	M 24	30.2		22226 23226	SR 230X13 SR 230X10	2 1	FS 12X17X515	226 NA
10	13.7	33	42	M 30	M 24	41.0		22228 23228	SR 250X15 SR 250X10	2 1	FS 12X17X545	228 NA
10	13.7	33	42	M 30	M 24	46.0		22230 23230	SR 270X16.5 SR 270X10	2 1	FS 12X17X580	230 NA
10	13.7	33	42	M 30	M 24	57.5		22232 23232	SR 290X17 SR 290X10	2 1	FS 12X17X610	232 NA

Remark: All SN housings available with Felt-seals (FS).